: EPA Reg. No. 60063-40-040249

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Pro Ap Cavalcade .042% plus Fertilizer

Product code : 020101 through 026299 that contain 0.42% Prodiamine

1.2. Intended Use of the Product

Use of the substance/mixture: Fertilizer and weed killing compound

1.3. Details of the supplier of the safety data sheet

Frick Services, Inc. 3154 W. Depot Street Wawaka, IN 46794 T 800-552-1754

Other means of identification

1.4. Emergency telephone number

Emergency number : 1-800-552-1754

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

 Skin Irrit. 2
 H315

 Eye Irrit. 2A
 H319

 Skin Sens. 1
 H317

 STOT SE 3
 H335

 Aquatic Acute 3
 H402

 Aquatic Chronic 3
 H412

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



: Warning

Signal word (GHS-US)

Hazard statements (GHS-US) : H315 - Causes skin irritation

H320 - Causes eve irritation

H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash ... thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302+P352 - If on skin: Wash with plenty of water/...

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a poison center/doctor/... if you feel unwell

P321 - Specific treatment (see ... on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to ... specify in accordance with local/regional/

national regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	% Concentration
Urea	(CAS No) 57-13-6	0.1 - 100
Diammonium phosphate	(CAS No) 7783-28-0	0.1 - 100
Potassium chloride	(CAS No) 7447-40-7	0.1 - 100
Monoammonium phosphate	(CAS No) 7722-76-1	0.1 - 100
Ammonium sulfate	(CAS No) 7783-20-2	0.1 - 100
Potassium sulfate	(CAS No) 7778-80-5	0.1 - 100
Limestone	(CAS No) 1317-65-3	0.1 - 70
Dicyandiamide	(CAS No) 461-58-5	0.1 - 10
Polymer Coating		0.1 - 10
Wax (paraffins- petroleum)	(CAS No) 64771-72-8	0.1 - 10
Pigment		0.1 - 10
Prodiamine	(CAS No) 29091-21-2	0.37

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice(show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep containerclosed when not in

use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Multi-colored granules.

Odor : No data available on odor Odor threshold : No data available

рΗ No data available Relative evaporation rate (butyl ace No data available No data available Melting point Freezing point No data available Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available

Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available : No data available

Solubility : Soluble and slowly soluble. Polymer coating insoluble. Water: Solubility in water of component(s)

of the mixture: •: 100 g/100ml •: 77 g/100ml •: 38 g/100ml •: 34 g/100ml

 Log Pow
 : No data available

 Log Kow
 : No data available

 Viscosity, kinematic
 : No data available

 Viscosity, dynamic
 : No data available

 Explosive properties
 : No data available

 Oxidizing properties
 : No data available

 Explosive limits
 : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

 $\hbox{\bf Extremely high temperatures. Direct sunlight. Extremely high or low temperatures.}$

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

10.5. Incompatible materials

Oxidizing agent. Prolonged contact may cause oxidation of unprotected metals. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Extremely high temperatures. The product may reach melting point and decompose to release NH3, SOx, POx, or CN. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	ation
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Urea (57-13-6)	
LD50 oral rat	8471 mg/kg (Rat)
LD50 dermal rat	> 3200 mg/kg (Rat)
LD50 dermal rabbit	> 21000 mg/kg (Rabbit)
ATE US (oral)	8471.00000000 mg/kg body weight
Ammonium sulfate (7783-20-2)	
LD50 oral rat	2840 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg
ATE US (oral)	2840.00000000 mg/kg body weight
Diammonium phosphate (7783-28-0)	
LD50 Oral Rat	6500 mg/kg
LD50 Dermal Ral	> 7950 mg/kg
ATE (Oral)	6,500.00 mg/kg body weight
Monoammonium phosphate (7722-76-1)	
LD50 Oral Rat	5750 mg/kg
LD50 Dermal Rabbit	> 7940 mg/kg
ATE (Oral)	5,750.00 mg/kg body weight
Potassium chloride (7447-40-7)	
LD50 oral rat	2600 mg/kg (Rat)
ATE US (oral)	2600.00000000 mg/kg body weight
Dicyandiamide (461-58-5)	
LD50 Oral Rat	> 5000 mg/kg (Rat)
LD50 Dermal Rabbit	> 2000 mg/kg (Rabbit)
LC50 inhalation rat (mg/l)	> 0.26 mg/l/4h (Rat)
Potassium sulfate (7778-80-5)	
LD50 oral rat	6600 mg/kg (Rat)
ATE US (oral)	6600.00000000 mg/kg body weight
Wax (paraffins- petroleum) (64771-72-8)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carainaganiaity	Based on available data, the classification criteria are not met : Not classified
Carcinogenicity Reproductive toxicity	: Not classified
Reproductive toxicity	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	May cause respiratory irritation.
Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure)	: Not classified
opeonic target organ toxicity (repeated exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
-1	Based on available data, the classification criteria are not met
Potential Adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms	. Sassa on available data, the diagonication official are not met.
oymptomo	

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Urea (57-13-6) Urea (57-13-6)	SECTION 12: Ecological infor	mation
LEGO fish 1 5.6310 mg/l (8 h. b.garbnia magna) 1.550 fish 2 1.7500 mg/l (8 h. b.garbnia magna) 1.550 fish 2 1.7500 mg/l (8 h. b.garbnia magna) 1.7500 mg/l (8 h. b.garbnia magna) 1.7500 mg/l (8 h. b.garbnia magna) 1.7500 pm/l (8 h. b.garbnia pudda) 1.7500 mg/l (8 h. b.garbnia magna) 1.7	12.1. Toxicity	
EGSD Daphnia -10000 mg/l (48 h. Daphnia magna)	Urea (57-13-6)	
LESO file 17500 mg/l (28 h. Pacelhian macna) LESO Expensive 17500 mg/l (28 h. Pacelhian macna) LESO Expensive 17500 pm/l (16 h. Pacelhian Testachian) LESO Expensive 17500 pm/l (16 h. Pacelhian) LESO Expensive 17500 pm/l (16 h. Pacelhian macrochius) L	LC50 fish 1	> 6810 mg/l (96 h; Leuciscus idus)
EGSD Daphnia 2	EC50 Daphnia 1	> 10000 mg/l (48 h; Daphnia magna)
TIME fin. 1 17500 ppm (96 h. Peceliar reticulates) Threshold limit other aquatic organisms 1 12000 mg/l (16 h. Bacteris, Toxicity test) Threshold limit other aquatic organisms 2 10000 mg/l (16 h. Bacteris, Toxicity test) Threshold limit slipse 2 10000 mg/l (16 h. Bacteris, Toxicity test) Threshold limit slipse 2 10000 mg/l (16 h. Sacreiva Toxicity test) Threshold limit slipse 2 10000 mg/l (16 h. Sacreiva Toxicity test) Threshold limit slipse 2 10000 mg/l (16 h. Sacreiva Toxicity test) Threshold limit slipse 2 24 b. 5 mg/l (Exposure time: 96 h. Species; Oncorhynchus mykiss) Threshold limit slipse 1 10000 mg/l (16 h. Sacreiva S	LC50 fish 2	17500 mg/l (96 h; Poecilia reticulata)
Threshold limit other auquatic organisms 1 120000 mg/l (16 h. Bacteria: Toxicity test) Threshold limit algae 2 5-10000 mg/l (16 h. Bacteria: Toxicity test) Threshold limit algae 2 5-10000 mg/l (16 h. Bacteria: Toxicity test) Threshold limit algae 2 5-10000 mg/l (16 h. Bacteria: Toxicity test) Threshold limit algae 3 5-10000 mg/l (16 h. Bacteria: Toxicity test) Threshold limit algae 1 26.5 mg/l (Exposure time: 96 h. Species: Oncorhynchus mykiss) LCSO Fish 2 24.9 - 29.4 mg/l (Exposure time: 96 h. Species: Oncorhynchus mykiss) Threshold limit algae 1 155 ppm (96 h; Pimephales promelas) Moncammonium phosphate (7722-76-1) LCSO fish 1 155 ppm (96 h; Pimephales promelas) Potassium chloride (7447-49-7) LCSO fish 1 920 mg/l (96 h; Gambusia affinis: Static system) ECSO Raphnia 1 630 mg/l (48 h; Candosphnia dubia) LCSO fish 2 2010 mg/l (96 h; Lappomis macrochinus; Static system) ECSO Raphnia 2 680 mg/l (48 h; Daphnia magna) Threshold limit algae 1 850 mg/l (48 h; Daphnia magna) Threshold limit algae 2 5-100 mg/l (72 h; Scenedesmus subspicatus) Threshold limit algae 2 5-100 mg/l (46 h; Salmo gardneri (Oncorhynchus mykiss); Cool water) ECSO Raphnia 1 3177 mg/l (48 h; Daphnia magna) ECSO Raphnia 1 3177 mg/l (48 h; Daphnia magna; Static system) ECSO Raphnia 1 3177 mg/l (48 h; Daphnia magna; Static system) ECSO Raphnia 1 3177 mg/l (48 h; Daphnia magna; Static system) ECSO Raphnia 1 3177 mg/l (48 h; Daphnia magna; Static system) ECSO Raphnia 1 3190 mg/l (66 h; Pisces) Potassium sulfate (7778-80-5) LCSO Rish 2 633 - 796 mg/l (66 h; Lepomis macrochirus) ECSO Raphnia 2 1600 mg/l (66 h; Lepomis macrochirus) ECSO Raphnia 2 1600 mg/l (66 h; Lepomis macrochirus) ECSO Raphnia 2 1600 mg/l (66 h; Lepomis macrochirus) ECSO Raphnia 2 1600 mg/l (66 h) ECSO Raphnia 2 1600 mg/l (66 h) ECSO Raphnia 3 1600 mg/l (66 h) ECSO Raphnia 4 1600 mg/l (66 h) ECSO Raphnia 5 1600 mg/l (66 h) ECSO Raphnia 6 1600 mg/l (66 h) ECSO Raphnia 6 1600 mg/l (66 h) ECSO Raphnia 6 1600 mg/l (66 h)	EC50 Daphnia 2	> 10000 mg/l (24 h; Daphnia magna)
Threshold limit other aquatic organisms 2 5-10000 mgl (1Pseudomonas putida) Diammonium phosphate (7783-28-0) LC50 Fish 1 26.5 mgl (Exposure time: 96 h - Species: Oncorhynchus mykiss) LC50 Fish 2 24.5 · 29.4 mgl (Exposure time: 96 h - Species: Oncorhynchus mykiss) LC50 Fish 1 155 ppm (96 h; Pimephales promelas) Potassium chloride (7447-40-7) LC50 Fish 1 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 2 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 2 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 2 920 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 930 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 2 930 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 930 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 930 mgl (96 h; Cambusia affinis; Static system) EC50 Daphnia 1 730 mgl (96 h; Samno gairdneri (Oncorhynchus mykiss); Cocl water) EC50 Daphnia 1 730 mgl (96 h; Samno gairdneri (Oncorhynchus mykiss); Cocl water) EC50 Daphnia 1 730 mgl (96 h; Daphnia magna) Fotassium sulfate (7778-80-5) LC50 fishs 1 740 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 1 930 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 1 930 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl (96 h; Daphnia magna; Static system) EC50 Daphnia 2 190 mgl	TLM fish 1	17500 ppm (96 h; Poecilia reticulata)
Disamonium phosphate (7783-28-0) 28.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 1.050 Fish 2 24.5 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 1.050 Fish 2 24.5 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 1.050 Fish 2 24.5 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 1.050 Fish 2 24.5 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 1.050 Fish 1 1.050 Fish 2 2.010 mg/l (96 h; Disphinia magna) 1.050 Fish 2 2.010 mg/l (96 h; Disphinia magna) 1.050 Fish 2 2.010 mg/l (76 h; Disphinia magna) 1.050 Fish 2 2.010 mg/l (72 h; Scenedesmus subspicatus) 1.050 Fish 2 2.00 mg/l (72 h; Scenedesmus subspicatus) 1.050 Fish 1 1	Threshold limit other aquatic organisms 1	120000 mg/l (16 h; Bacteria; Toxicity test)
Diammonium phosphate (7783-28-0) 26.5. mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 26.5. mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 24.8 - 29.4 mg/l (96 h; Pimphina dubia) 24.8 - 29.4 mg/l (96 h; Pimphina dubia) 24.8 - 29.4 mg/l (96 h; Cambusia alfinis; Static system) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) 25.0 mg/l (96 h; Salmo	,	> 10000 mg/l (Pseudomonas putida)
LCSO Fish 1 LCSO Fish 2 LCSO Fish 3 LCSO Fish 3 LCSO Fish 4 LCSO Fish 4 LCSO Fish 1 LCSO Fish 2 LCSO Fish 3 LCSO Fish 3 LCSO Fish 3 LCSO Fish 3 LCSO Fish 4 LCSO Fish 4 LCSO Fish 4 LCSO Fish 5 LCSO Fish 5 LCSO Fish 6 LCSO Fish 7 LCSO Fish 7 LCSO Fish 8 LCSO Fish 9 LCSO F	Threshold limit algae 2	> 10000 mg/l (168 h; Scenedesmus quadricauda)
LCSO Fish 2	Diammonium phosphate (7783-28-0)	
through)	LC50 Fish 1	26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
	LC50 Fish 2	
Potassium chloride (7447-40-7) 920 mg/l (96 h; Gambusia affinis; Static system)	Monoammonium phosphate (7722-76-1)	
LGSG fish 1 ECS0 Daphnia 1 LGSG fish 2 2010 mg/l (96 h; Lepomis macrochirus; Static system) ECS0 Daphnia 2 660 mg/l (48 h; Daphnia magna) Threshold limit algae 1 850 mg/l (72 h; Scenedesmus subspicatus; GLP) Dicyandiamide (461-58-5) LGSG fish 1 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 2 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 1 LGSG fish 1 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 1 LGSG fish 2 7800 mg/l (96 h; Bisces) Potassium sulfate (7778-80-5) LCSG fish 2 1692.4 mg/l (96 h; Alburnus alburnus) LCSG fish 1 1692.4 mg/l (96 h; Bisces) LCSG fish 2 1692.4 mg/l (96 h; Daphnia magna) LCSG fish 2 1693.7 mg/l (96 h; Lepomis macrochirus) ECSG Daphnia 1 1890 mg/l (96 h; Daphnia magna; Static system) 1890 mg/l (96 h; Lepomis macrochirus) ECSG Daphnia 2 1189 mg/l (96 h; Curstacea) 1180 mg/l (96 h; Cur		155 ppm (96 h; Pimephales promelas)
LGSG fish 1 ECS0 Daphnia 1 LGSG fish 2 2010 mg/l (96 h; Lepomis macrochirus; Static system) ECS0 Daphnia 2 660 mg/l (48 h; Daphnia magna) Threshold limit algae 1 850 mg/l (72 h; Scenedesmus subspicatus; GLP) Dicyandiamide (461-58-5) LGSG fish 1 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 2 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 1 LGSG fish 1 7700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) ECS0 Daphnia 1 LGSG fish 2 7800 mg/l (96 h; Bisces) Potassium sulfate (7778-80-5) LCSG fish 2 1692.4 mg/l (96 h; Alburnus alburnus) LCSG fish 1 1692.4 mg/l (96 h; Bisces) LCSG fish 2 1692.4 mg/l (96 h; Daphnia magna) LCSG fish 2 1693.7 mg/l (96 h; Lepomis macrochirus) ECSG Daphnia 1 1890 mg/l (96 h; Daphnia magna; Static system) 1890 mg/l (96 h; Lepomis macrochirus) ECSG Daphnia 2 1189 mg/l (96 h; Curstacea) 1180 mg/l (96 h; Cur	Potassium chloride (7447-40-7)	
ECSD Daphnia 1	, ,	920 mg/l (96 h: Gambusia affinis: Static system)
LCS0 fish 2		
EC50 Daphnia 2		
Reshold limit algae 1		
Dicyandiamide (461-58-5)		
Dicyandiamide (461-58-5) LC50 fish 1 T700 mg/l (96 h; Salmo gairdneri (Oncorhynchus mykiss); Cool water) EC50 Daphnia 1 LC50 fish 2 Potassium sulfate (7778-80-5) LC50 fishes 1 LC50 other aquatic organisms 1 LC50 other aquatic organisms 1 EC50 Daphnia 1 LC50 other aquatic organisms 1 EC50 Daphnia 2 T180 mg/l (96 h; Lepomis macorchirus) EC50 Daphnia 2 T180 mg/l (96 h; Lepomis macorchirus) EC50 Daphnia 2 T180 mg/l (96 h; Lepomis sp.) Threshold limit other aquatic organisms 1 S1000 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Dammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (772-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Biodegradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (772-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Biodegradability: Inherently biodegradable. Not established. Monoammonium phosphate (772-76-1) Persistence and degradability Biodegradability: not applicable. Not established. Monoammonium ghosphate (7784-740-7) Persistence and degradability Biodegradability: Inherently biodegradable in water. Not degradable in the soil. Photodegradation in the air. Not established. Photodegradation in the air. Not established.	9	
LC50 fish 1		
EC50 Daphnia 1 3177 mg/l (48 h; Daphnia magna)		7700 mg// (00 h) Calma maindanni (Omaanh) mah ya myidisa). Caal yastan
Detassium sulfate (7778-80-5) Tessium sulfate (7778-80-6) Te		
Potassium sulfate (7778-80-5) LC50 fishes 1		
LC50 fishes 1	LC50 lish 2	7900 mg/l (96 h; Pisces)
LC50 other aquatic organisms 1	Potassium sulfate (7778-80-5)	
EC50 Daphnia 1 B90 mg/l (48 h; Daphnia magna; Static system) LC50 Ish 2 653 - 796 mg/l (96 h; Lepomis macrochirus) EC50 Daphnia 2 TLM fish 1 3550 ppm (96 h; Lepomis sp.) Threshold limit other aquatic organisms 1 > 1000 mg/l (96 h) Threshold limit algae 1 2900 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biodegradability not applicable. Not established. Biodegradabile (7447-40-7) Persistence and degradability Biodegradabile (740-7) Persistence and degradability Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established.	LC50 fishes 1	1692.4 mg/l (96 h; Alburnus alburnus)
LC50 fish 2 EC50 Daphnia 2 TLM fish 1 Threshold limit other aquatic organisms 1 Threshold limit algae 1 2900 mg/l (96 h; Lepomis macrochirus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biodemical oxygen demand (BOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established.		<u> </u>
EC50 Daphnia 2 TLM fish 1 3550 ppm (96 h; Crustacea) Threshold limit other aquatic organisms 1 > 1000 mg/l (96 h) Threshold limit algae 1 2900 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. ThOD 0.27 g O ₃ /g substance Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (772-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable ThOD Not applicable DoD (% of ThOD) Not applicable Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established.		
TLM fish 1 Threshold limit other aquatic organisms 1 Threshold limit other aquatic organisms 1 Threshold limit algae 1 2900 mg/l (96 h) Threshold limit algae 1 2900 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Dioyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
Threshold limit other aquatic organisms 1 > 1000 mg/l (96 h) Threshold limit algae 1 2900 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) O.022 % ThOD		
Threshold limit algae 1 2900 mg/l (72 h; Scenedesmus subspicatus) 12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7782-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
12.2. Persistence and degradability Pro Ap Professional Turf Fertilizer Persistence and degradability Not established. Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. ThOD Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable BOD (% of ThOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
Pro Ap Professional Turf Fertilizer Persistence and degradability Not established.	Threshold limit algae 1	[2900 mg/l (72 h; Scenedesmus subspicatus)
Persistence and degradability Urea (57-13-6)	12.2. Persistence and degradability	
Urea (57-13-6) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	Pro Ap Professional Turf Fertilizer	
Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. 0.27 g O₂/g substance Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Dioyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	Persistence and degradability	Not established.
Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. 0.27 g O₂/g substance Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Dioyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	Urea (57-13-6)	
Diammonium phosphate (7783-28-0) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Not applicable	Persistence and degradability	Inherently biodegradable. Hydrolysis in water. Not established.
Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	ThOD	
Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	Diammonium phosphate (7783-28-0)	
Monoammonium phosphate (7722-76-1) Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Not applicable Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		Inherently biodegradable Hydrolysis in water. Not established
Persistence and degradability Inherently biodegradable. Hydrolysis in water. Not established. Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD Not applicable Not applicable BOD (% of ThOD) Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	, ,	Innoversity steady additional representation of the steady and the
Potassium chloride (7447-40-7) Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) Not applicable Not applicable BOD (% of ThOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	• • • • • • • • • • • • • • • • • • • •	Inherently hindegradable. Hydrolysis in water. Not established
Persistence and degradability Biodegradability: not applicable. Not established. Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) Not applicable ThOD Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	,	Immorthly stodegladders regarded in material octabilities.
Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ThOD Not applicable Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		Distance de la West and Co. 11. No. 11. 11. 11.
Chemical oxygen demand (COD) Not applicable Not applicable BOD (% of ThOD) Not applicable Not applicable Not applicable Not applicable Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
ThOD Not applicable BOD (% of ThOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
BOD (% of ThOD) Not applicable Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	· · · · · · · · ·	<u> </u>
Dicyandiamide (461-58-5) Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		
Persistence and degradability Not readily biodegradable in water. Non degradable in the soil. Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD	·	Γινοι αλλιιοαρία
Photodegradation in the air. Not established. BOD (% of ThOD) 0.022 % ThOD		Naturally, biodegradable is mater. Also de models to the coll
BOD (% of ThOD) 0.022 % ThOD	Persistence and degradability	, , ,
	BOD (% of ThOD)	•
Potassium sulfate (7778-80-5)		JU.U22 % ITIUU
	Potassium sulfate (7778-80-5)	

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

	according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulation
Persistence and degradability	Biodegradability: not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Wax (paraffins- petroleum) (64771-72-8	
Persistence and degradability	Not established.
Prodiamine (29091-21-2)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

12.3. Bioaccumulative potential	
Pro Ap Professional Turf Fertilizer	
Bioaccumulative potential	Not established.
Urea (57-13-6)	
BCF fish 1	1 (72 h; Brachydanio rerio; Fresh water)
BCF other aquatic organisms 1	11700 (Chlorella sp.)
Log Pow	-2.591.59
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Diammonium phosphate (7783-28-0)	
Bioaccumulative potential	Not bioaccumulative. Not established.
Monoammonium phosphate (7722-76-1)	
Bioaccumulative potential	Not bioaccumulative. Not established.
Potassium chloride (7447-40-7)	
Log Pow	-0.46 (Estimated value)
Bioaccumulative potential	Not bioaccumulative. Not established.
Dicyandiamide (461-58-5)	
BCF fish 1	< 3.1 (Cyprinus carpio; Test duration: 6 weeks)
Log Pow	-1.5 (Experimental value)
Bioaccumulative potential	Bioaccumulation: not applicable. Not established.
Potassium sulfate (7778-80-5)	
Bioaccumulative potential	Not bioaccumulative. Not established.
Wax (paraffins- petroleum) (64771-72-8)	
Bioaccumulative potential	No bioaccumulation data available
Pigment	
Bioaccumulative potential	Not established
Prodiamine (29091-21-2)	
Bioaccumulative potential	Not established

12.4. Mobility in Soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. In accordance with DOT

Not regulated for transport

14.2. In accordance with IMDG

Not regulated for transport

14.3. In accorance with IATA

Not regulated for transport

SAFETY DATA SHEET

Current as of: 6/28/2016

SDS # **S02-042**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Pro Ap Professional Turf Fertilizer		
Not listed on the United States TSCA (Toxic Substances Control Act) inventory		
All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory except for:		
Prodiamine	CAS No 29091-21-2	

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 16: Other information

Revision date

GHS full text phrases

THE TUIL TOXE PHILOGO		
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2	
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H315	Causes skin irritation	
H320	Causes eye irritation	
H335	May cause respiratory irritation	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	

The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. Frick Services, Inc. makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product.

Frick Services, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material; and Frick Services, Inc.'s responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).